



Agara G2H Camera Hub

Retail Recommend Price RM 399.00

Technical Specification:

Product Model : CH-H01

Operating Temperature : -10~40°C (14°F~104°F)

Product Dimensions : 82.4×56.5×50.5mm

(3.24×2.33×1.99in.)

Input Power : 5V, 1A

Video Resolution : 1080p

Wireless Connection : Wi-Fi IEEE 802.11b/g/n 2.4GHz

Zigbee

Total Power Consumption : 5W (MAX)

Viewing Angle : 140°

Local Storage : Micro SD card (CLASS 4 or above

is supported, up to 32GB

storage)















140° ultra wide-angle lens 1080p high definition


See more with a wide-angle lens and superior image quality. Camera hardware is specially configured to work with HomeKit Secure Video.

1080p Full HD

140°
Ultra Wide Angle







HomeKit-enabled two-way audio and one-click video messages

You can use the G2H to send high quality video messages and make instant voice calls. The camera is equipped with an omnidirectional noise-canceling microphone with a maximum pickup distance of up to 5 meters, and also has a maximum speaker sound volume of 85 decibels for a clearer communication.

AI facial recognition*

From your iCloud library, the G2H can turn on its AI facial recognition so that you can receive notifications when your family members arrive home.

*iOS / iPad OS / tvOS 14 or higher required for this functionality




Full HomeKit Secure Video support

G2H fully supports HomeKit Secure Video including end-to-end encryption and other features. It has passed rigorous Apple HomeKit certification to ensure the highest security standards and better integration with other Apple devices.



*HomePod, Apple TV or iPad as a HomeKit hub and 200+ Gb iCloud subscription require







IR Night Vision

Clear image at night without visible light



Smart Home Hub

Connect Aqara devices and enjoy home automation and remote control



Al Face Recognition*

Can recognize faces based on your iCloud library



Activity Zones*

Define zones you don't want to be tracked



HomeKit Secure Video

10-days iCloud storage and integration are supported



HomeKit-Enabled Two-Way Audio

Communicate with your family members remotely



Correlation Event Timeline and Notifications

Triggered events will be marked on the video timeline and an event notification will be sent to your phone



140° Wide-Angle Lens and 1080p High Definition

High-quality video for better monitoring experience



Smart Lock N100e

(Zigbee Version)

Retail Recommend Price RM 1,299.00

(Price exclude installation)

Technical Specification:

lechnical Specification:				
Product Model	: N100e / ZNMS16LM			
Product Weight	: 4.2kg			
Language	: Chinese / English			
CMIITID	: 2019DP10249			
Lock Specification	Standard configuration (suitable for 40-80mm door thickness)			
Operating Humidity	: 0~93% RH, no condensation			
Product Size	: 380.9*76.9*25mm (panel size)			
Power Supply	: 8 AA batteries (6V), Type-C emergency power supply (5V)			
Wireless Protocol	: Bluetooth 5.0, Zigbee 3.0			
Product Safety Level	: B Level			
Cylinder Security Level	: C Level			
Operating Temperature	: -25°C~+70°C			
Executive Standard	: Q/QLML022、GA 374-2019、GA/T 73-2015、GB			

21556-2008、CEPREI-QM/JG002-2019

50 fingerprints, 50 permanent passwords, 25 NFC devices, 25 periodic passwords, 8 one-time passwords



User Capacity



Aqara N100 Zigbee Edition

The updated international version of our most popular smart door lock, Now with Zigbee 3.0 support.



^{*} The product requires professional installation, please contact the official Aqara distributor in your country for more details.

The Aqara N100 Zigbee Edition is the new version of the original Aqara N100 and has substantial improvements

	Feature	N100 Zigbee Edition	N100 (Mi Home Edition)
	Wireless Protocol	Zigbee & Bluetooth	Bluetooth Only
	Supported Platforms	Aqara Home, HomeKit	Mi Home, HomeKit
	App Server Support	EU, Russia, China, Other	China
	Multilingual Installa- tion Instructions and Support Materials	Yes	No
	Local Certifications	Yes*	China Certifications Only
	One-click Remote Unlock	Yes**	No

^{*} Please contact the official Agara distributor in your country for more details.

^{**} The product can only be used with the Aqara Home app and Apple's Homekit app, the Xiaomi Mi Home is not supported.

^{*} Some functions may not be available at the time of sale and will be added with subsequent firmware update

Aqara N100 Zigbee Edition

The updated international version of our most popular smart door lock. Now with Zigbee 3.0 support.



High-Quality Design and Materials

Frame and handle are made of anodized aluminum to provide a superior feeling and extra durability.

Ergonomic Fingerprint Reader

The fingerprint reader is embedded in the handle and reacts instantaneously. Multiple unsuccessful unlock attempts will trigger the alarm.

Doorbell Function and Logs

Pressing a dedicated doorbell button will trigger the ringtone on any of your Aqara Hubs and alert you even if you are far away.

Zigbee 3.0 Support

Compared to the original Aqara N100, the N100 Zigbee Edition supports Zigbee 3.0, the fastest, most stable, and energy-efficient smart home technology as well as Bluetooth.

Works with Apple Homekit

Has a built-in Apple security chip and supports the best smart home ecosystem for Apple devices.

Extra Long Battery Life

Typically, the 8 AA-type batteries will last for more than 1.5 years. The battery is separated into two sections, and in case one section discharges, the another one will still work.


Mechanical Key and Type - C Port


Even if the batteries run out, you can still open the Aqara N100 Zigbee Edition Lock by using a mechanical key or by charging it via the hidden Type-C port.

Configurable Automations

The lock will record who opened it and by what method it was unlocked. You will be able to configure automations based on who has arrived home.

The Aqara N100 supports a variety of unlocking methods to suit any of your family members and they will make the lock functional even if the battery is discharged.





^{*} Some functions may not be available at the time of sale and will be added with subsequent firmware updates.

Precise 3D fingerprint reader is located right on the handle


Just open the door by pressing the handle, and the sensor will read your fingerprint.

Fingerprint identification speed: <=300 ms


Identification rate: Up to 98.7%











The Aqara N100 is equipped with a 10-digit keypad that is hidden for your protection.

Any enabled password can be accompanied by "dummy" symbols that will protect it from peeping Image similar to this:



3 modes are supported*:

Permanent password


Each user can be assigned a 6-digit password.

• Temporary password

Even without an internet connection, the Aqara Home app can generate temporary passwords that can be shared.

Regular password

Passwords can also be active during a specified period of time, for example, every Monday from 16:00 to 17:30.




Aqara Home / Zigbee unlock*

One-click remote unlock through the Agara Home app. Requires an Agara Hub.



HomeKit Unlock

Apple device users can also unlock the N100 via the Apple Home app, using HomeKit secured protocol.



Mechanical Key

The Aqara N100 can also work as a traditional door lock with mechanical keys coupled with a highly secure C-grade cylinder.



NFC

Xiaomi Mi Band NFC, NFC-enabled Xiaomi smartphone** and Aqara NFC cards can be used as an unlock method.

^{*} Some functions may not be available at the time of sale and will be added with subsequent firmware updates.

^{**} Xiaomi Mi Band 3, 4 or 5 NFC are supported, Xiaomi Wear app is required.

The Aqara N100 was developed to provide maximum security

1. Damage sensor

Immediate notifications in case of tampering with the front panel.

2. Auto-lock

Locks immediately after the door is closed.

3. Anti-peephole break in design

Intruders cannot open the door by just pressing the handle from inside.

4. Master lock knob

In the case of locking, the door can only be opened by the administrator's fingerprint and password.

5. Electromagnetic protection

The hardware is resistant to Tesla coil attacks.

6. Three independent bolt sensors

Monitors door, main, and assistant bolt status.

7. Secure interconnection

Encrypted connection between rear and front panels

8. Anti-peep password

Input random symbols along with the 6-digit password for more privacy.





Integrated Smart Doorbell

- The N100 has a built-in doorbell button and a powerful speaker that will notify you when visitors arrive.
- No matter how big your house is, the doorbell ringtone can also be played by any Aqara Hub with a built-in speaker.
- Even if you are far away, a configurable notification will be sent to your phone and will be logged in your history.



Retail Recommend Price RM 89.00

Technical Specification:

Product Model : DJT11LM

Dimensions : 36 x 36 x 9 mm (1.42 x 1.42 x 0.35

in.)

Operating Temperature : -10°C~+45°C (14°F~113°F)

Battery : CR2032

FCC ID : 2AKIT-DJT11LM

Operating Humidity : 0 - 95%RH, non-condensing

Wireless Protocol : Zigbee 1.2

IC : 22635-DJT11LM

What's in the Box : Vibration Sensor x 1, Sticker x 1,

Quick Start Guide x 1

Battery Life : 2 years





Advanced Technology

Aqara Vibration Sensor is embedded with a high precision acceleration sensor. The shell is made of anti-UV material and the color will not fade allowing for long-term usage. It consumes low energy and one button battery lasts about 2 years.















React to three actions.























Agara LED Lightbulb (Tunable White)

Retail Recommend Price RM 99.00

Technical Specification:

Product Model ZNLDP12LM

Lifespan 2500h

Wireless Protocol Zigbee 1.2

Maximum Luminous Flux 806lm

220 - 240V, 50/60Hz Input

Dimensions $60 \times 120 \text{ mm} (2.36 \times 4.72 \text{ in.})$

Lamp Holder E27

Power 9W

Colour Temperature 2700K - 6500K

Power Factor 0.7

What's in the Box LED lightbulb x 1, Quick Start Guide

x 1















Adjustable brightness





Automation



Voice control



Custom scene

High brightness



Schedule



E27 holder



Long lifespan













19:00 Get home
(Brightness 50%, color temperature 4000K)




21:00 Reading
(Brightness 100%, color temperature 4000K)



22:00 Relax
(Brightness 75%, color temperature 2700K)

Smart Home Even If The Internet Is Disconnected

When your home network is unstable or disconnected, as long as the Hub is powered, automations associated with the Aqara LED Light Bulb still work properly.





Door & Window Sensor

Retail Recommend Price

RM 89.00

Technical Specification:

Product Model : MCCGQ11LM

Dimensions : $41 \times 22 \times 11 \text{ mm} (1.61 \times 0.87 \times 0.43)$

in.)

Operating Humidity : 0 - 95%RH, non-condensing

Battery : CR1632

Max Detection Distance : 22mm

Wireless Protocol : Zigbee 1.2

Operating Temperature : -10°C~+45°C (14°F~113°F)


What's in the Box : Sensor Unit x 1, Magnet x 1,

Sticker x 2, Quick Start Guide x 1

Battery Life : 2 years











Advanced Technology

Agara Door and Window Sensor detects the current status of doors or windows via the distance of the magnets inside the sensors between the sensor and the magnet. The sensor is also energy efficient and one battery can last over 2 years under normal usage.



Retail Recommend Price RM 99.00

Technical Specification:

Product Model : RTCGQ11LM

Dimensions : $30 \times 30 \times 33 \text{ mm} (1.18 \times 1.18 \times 1.30)$

in.)

Operating Temperature : $-10^{\circ}\text{C}^{+}45^{\circ}\text{C}(14^{\circ}\text{F}^{-}113^{\circ}\text{F})$

Battery : CR2450

Max Detection Distance : 7 meter

Operating Humidity : 0 - 95%RH, non-condensing

Wireless Protocol : Zigbee 1.2

Max Detection Angle : 170°

What's in the Box : Motion Sensor x 1, Stand x 1,


Sticker x 1, Quick Start Guide x 1

Battery Life : 2 years










Advanced Technology

A Japanese infrared sensor is used to detect human motion through the moving heat source and the US Polyolefin Fresnel lens is used for high precision detection. The shell is made of anti-UV material and the colour will not fade allowing for long-term usage.

The high quality flame-retardant material is used to improve safety.





Wireless Mini Switch

Retail Recommend Price RM 69.00

Technical Specification:

Product Model : WXKG11LM

Dimensions : $45 \times 45 \times 12 \text{ mm} (1.77 \times 1.77 \times 0.47)$

in.)

Battery : CR2032

Operating Temperature : -10°C~+55°C (14°F~131°F)

Wireless Protocol : Zigbee 1.2

Operating Humidity : 0 – 95%RH, non-condensing

What's in the Box : Wireless Mini Switch x 1, Sticker x 1,


Quick Start Guide x 1











Emergency Button

The Wireless Mini Switch can also act as an emergency button at home. When pressed, Aqara Hub will send out a push notification and sound the alarm.





Aqara Wireless Mini Switch is a remote control switch with compact design and low energy consumption. Supports up to 50,000 presses*. Adopts V-0 grade flame-retardant PC panel that allows for high temperature resistance.

* Results may vary slightly under different circumstances.





Water Leak Sensor

Retail Recommend Price RM 89.00

Technical Specification:

Product Model : SJCGQ11LM

Dimensions : $50 \times 50 \times 15 \text{ mm} (1.97 \times 1.97 \times 0.59)$

in.)

Battery : CR2032

Operating Temperature : -10°C~+55°C (14°F~131°F)

Wireless Protocol : Zigbee 1.2

Operating Humidity : 0 - 100%RH

What's in the Box : Water Leak Sensor x 1, Quick Start

Guide x 1

Battery Life : 2 years







Advanced Technology

The outer shell is made out of anti-UV material and protects the sensor from discoloration.

The sensor is also energy efficient and one battery can last over 2 years under normal usage.





Voore

Paniscashia







IP67 Waterproof Rating

Aqara Water Leak Sensor meets IP67 dustproof and waterproof rating. It is guaranteed to work in humid and dusty environments.

Designed to Fit Everywhere

Aqara Water Leak Sensor can be placed anywhere according to your needs, guarding your home with its elegant design.





Basement







Wall Switch D1 – Double Rocker

(No Neutral)

Retail Recommend Price

RM 169.00

Technical Specification:

Product Model : QBKG22LM

Wireless Protocol : Zigbee 1.2

Specified Load : Max 1600W, Min 3W

Operating Humidity : 5~95% RH, non-condensing

Dimensions : 86×86×42.85mm

Rated voltage : No neutral 220V~, 50Hz

Operating Temperature : 0°C~40°C

Executive Standard : GB/T 16915.1-2014、GB/T16915.2-

2012

What's in the Box : Wall Switch Single Rocker x 1, Quick

manual x 1, screw x 2

















Temperature & Humidity Sensor

Retail Recommend Price

RM 79.00

Technical Specification:

Range and Precision

Precision

Product Model : WSDCGQ11LM

Dimensions : $36 \times 36 \times 9 \text{ mm} (1.42 \times 1.42 \times 0.35)$

in.)

Atmospheric Pressure : 30 kPa – 110 kPa, ±0.12 kPa

Wireless Protocol : Zigbee 1.2

Temperature Range and : $-20^{\circ}\text{C}^{-}+50^{\circ}\text{C}$, $\pm 0.3^{\circ}\text{C}$ ($-4^{\circ}\text{F}^{-}+122^{\circ}\text{F}$,

±0.5°F)

Battery : CR2032

Humidity Range and : 0-100% RH (non-condensing), $\pm 3\%$

Precision

What's in the Box : Temperature and Humidity Sensor x

1, Sticker x 1, Quick Start Guide x 1





Advanced Technology

Agara Temperature and Humidity Sensor adopts an industrial-grade sensor provided by the industry-renowned Sensirion company which has the humidity detection accuracy of ±0.3°C and temperature detection accuracy of ±3%.

The production process is strictly supervised to ensure high quality.





Automatically Adjusts Indoor Humidity Level When Used with a Smart Plug and Humidifier

* An Agara Smart Plug is required.







Temperature and Humidity Sensor





Automatically Set Indoor Temperature and Humidity to the Right Level with an Air Conditioning Controller

* Air Conditioning Controller coming soon





Air Conditioning Controller Temperature and Humidity Sensor